



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO). FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/806,400	03/30/2001	Yehuda Shoenfeld	01/21885	1174
30623	7590 09/09/2004		EXAMINER	
MINTZ, LEVIN, COHN, FERRIS, GLOVSKY AND POPEO, P.C. ONE FINANCIAL CENTER BOSTON, MA 02111			SCHWADRON, RONALD B	
			ART UNIT	PAPER NUMBER
			1644	
			DATE MAILED: 09/09/2004	1

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.	
				EXAMINER	
			ART UNIT	PAPER	

200409

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply filed on 6/10/2004 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s).

The previous Office Action stated in paragraph 2 that:

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added.

Said listing is absent from the amendment filed 6/10/2004.

See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE** (1) **MONTH or THIRTY** (30) **DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Ron Schwadron, Ph.D. Primary Examiner Art Unit 1644 571 272 0851

> RONALD B. SCHWADRON PRIMARY EXAMINER

GROUP 1800 1000